

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE		JING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.		
09/911,051 07/23/2001		7/23/2001	Weenna Bucay-Couto	01-089	3728		
27774	7590	04/13/2004		EXAM	EXAMINER		
		RT & WILLIAN	WILLIAMS, CATHERINE SERKE				
251 NORTH AVENUE WEST 2ND FLOOR				ART UNIT	PAPER NUMBER		
WESTFIEL	O, NJ 070	090	3763				

DATE MAILED: 04/13/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

·		Application	Application No.		Applicant(s)				
		09/911,05	31	BUCAY-COUTO ET AL.					
	Office Action Summary	Examiner		Art Unit					
			S. Williams	3763	L				
Period fo	The MAILING DATE of this communication a or Reply	ppears on the	cover sheet with the o	correspondence a	ddress				
THE - Exte after - If the - If NO - Failt Any	ORTENED STATUTORY PERIOD FOR REP MAILING DATE OF THIS COMMUNICATION nsions of time may be available under the provisions of 37 CFR SIX (6) MONTHS from the mailing date of this communication. It is period for reply specified above is less than thirty (30) days, a report of the provisions of the present of the maximum statutory perious to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will, by stature to reply within the set or extended period for reply will.	I. 1.136(a). In no even bely within the state but will apply and wi bute, cause the apply	ent, however, may a reply be tir utory minimum of thirty (30) day Il expire SIX (6) MONTHS from ication to become ABANDONE	mely filed ys will be considered time the mailing date of this of D (35 U.S.C. § 133).	ely. communication.				
Status									
1)⊠	1) Responsive to communication(s) filed on 22 March 2004.								
2a) <u></u> □	This action is FINAL . 2b)⊠ Th	on-final.							
3)	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.								
Disposition of Claims									
5)⊠ 6)⊠ 7)□	Claim(s) 1-29 and 31-36 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. Claim(s) 2-12,14-29 and 34-36 is/are allowed. Claim(s) 1,13 and 31-33 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or election requirement.								
Applicat	ion Papers								
10)⊠	The specification is objected to by the Examination The drawing(s) filed on 23 July 2001 is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction of the oath or declaration is objected to by the	a) accepte ne drawing(s) b ection is requir	e held in abeyance. Se ed if the drawing(s) is ob	e 37 CFR 1.85(a). ojected to. See 37 C					
Priority (under 35 U.S.C. § 119								
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 									
Attachmer			 -	(DTO (12)					
2) Notice No	ce of References Cited (PTO-892) ce of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/0 er No(s)/Mail Date	08)	4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal I 6) Other:		TO-152)				

Application/Control Number: 09/911,051

Art Unit: 3763

DETAILED ACTION

The indication of allowability of claim 13 has been withdrawn in light of a newly found reference. A new rejection appears below.

Drawings

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the barrier layer must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claims 1,13 and 31-33 are rejected under 35 U.S.C. 102(e) as being anticipated by Ding et al (US Pat# 6,316,018). Ding discloses a drug-releasing coatings for medical devices that includes a urinary catheter having a reservoir layer with an antibiotic and an outer layer with a surfactant. The reservoir layer may be composes of several layers (barrier layer) depending on

Application/Control Number: 09/911,051

Art Unit: 3763

the elution rates of the drugs. See 7:65-8:4. The coatings may also be used with a blood-contacting device.

Allowable Subject Matter

Claims 2-12, 14-29 and 34-36 allowed.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Catherine S. Williams whose telephone number is 703-308-4846. The examiner can normally be reached on Monday - Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Casler can be reached on 703-308-3552. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Catherine S. Williams April 7, 2004